L Number	Hits	Search Text	DB	Time stamp
–	3496	((selecti$4 or adapt$6 or control$4)near4 (enabl$4 or appl$5 or disabl$4 or remov$5))adj3 clock	USPAT; US-PGPUB; IBM_TDB	2004/07/14 11:08
–	0	(((selecti$4 or adapt$6 or control$4)near4 (enabl$4 or appl$5 or disabl$4 or remov$5))adj3 clock) with ((media adj3 control) or MAC)	USPAT; US-PGPUB; IBM_TDB	2004/07/14 10:49
–	1	(((selecti$4 or adapt$6 or control$4)near4 (enabl$4 or appl$5 or disabl$4 or remov$5))adj3 clock) same ((media adj3 control) or MAC)	USPAT; US-PGPUB; IBM_TDB	2004/07/14 10:04
–	2	(((selecti$4 or adapt$6 or control$4)near4 (enabl$4 or appl$5 or disabl$4 or remov$5))adj3 clock) same ((media adj3 access) or MAC)	USPAT; US-PGPUB; IBM_TDB	2004/07/14 10:06
–	80	(((selecti$4 or adapt$6 or control$4)near4 (enabl$4 or appl$5 or disabl$4 or remov$5))adj3 clock) and ((media adj3 access) or MAC)	USPAT; US-PGPUB; IBM_TDB	2004/07/14 10:07
–	956	(((selecti$4 or adapt$6 or control$4)near4 (enabl$4 or appl$5 or disabl$4 or remov$5))adj3 clock) and (power near3 (consum$6 or conserv$7 or utiliz$7 or expendi$6 or usage))	USPAT; US-PGPUB; IBM_TDB	2004/07/14 10:07
–	990	(((selecti$4 or adapt$6 or control$4)near4 (enabl$4 or appl$5 or disabl$4 or remov$5))adj3 clock) and (power near3 (consum$6 or sav$4 or conserv$7 or utiliz$7 or expendi$6 or usage))	USPAT; US-PGPUB; IBM_TDB	2004/07/14 10:16
–	44	((((selecti$4 or adapt$6 or control$4)near4 (enabl$4 or appl$5 or disabl$4 or remov$5))adj3 clock) and (power near3 (consum$6 or sav$4 or conserv$7 or utiliz$7 or expendi$6 or usage))) and ((media adj3 access) or MAC)	USPAT; US-PGPUB; IBM_TDB	2004/07/14 10:42
–	13	(((((selecti$4 or adapt$6 or control$4)near4 (enabl$4 or appl$5 or disabl$4 or remov$5))adj3 clock) and (power near3 (consum$6 or sav$4 or conserv$7 or utiliz$7 or expendi$6 or usage))) and ((media adj3 access) or MAC)) and (csr or (control adj status) or (remot$4 adj monitor$4) or RMON)	USPAT; US-PGPUB; IBM_TDB	2004/07/14 10:16
–	155	(((selecti$4 or adapt$6 or control$4)near4 (enabl$4 or appl$5 or disabl$4 or remov$5))adj3 clock) same (power near3 (consum$6 or sav$4 or conserv$7 or utiliz$7 or expendi$6 or usage))	USPAT; US-PGPUB; IBM_TDB	2004/07/14 10:16
–	14	((((selecti$4 or adapt$6 or control$4)near4 (enabl$4 or appl$5 or disabl$4 or remov$5))adj3 clock) same (power near3 (consum$6 or sav$4 or conserv$7 or utiliz$7 or expendi$6 or usage))) and (csr or (control adj status) or (remot$4 adj monitor$4) or RMON)	USPAT; US-PGPUB; IBM_TDB	2004/07/14 10:16
–	37	((((selecti$4 or adapt$6 or control$4)near4 (enabl$4 or appl$5 or disabl$4 or remov$5))adj3 clock) same (power near3 (consum$6 or sav$4 or conserv$7 or utiliz$7 or expendi$6 or usage))) and (csr or (control adj3 register) or (remot$4 adj monitor$4) or RMON)	USPAT; US-PGPUB; IBM_TDB	2004/07/14 10:17

-	34	(((((selecti$4 or adapt$6 or control$4)near4 (enabl$4 or appl$5 or disabl$4 or remov$5))adj3 clock) same (power near3 (consum$6 or sav$4 or conserv$7 or utiliz$7 or expendi$6 or usage))) and (csr or (control adj2 register) or (remot$4 adj monitor$4) or RMON)	USPAT; US-PGPUB; IBM_TDB	2004/07/14 10:17
-	804	(((selecti$4 or adapt$6 or control$4)near4 (enabl$4 or appl$5 or disabl$4 or remov$5))adj3 clock) with ((interrupt or signal or (detect$4 adj signal))near4 (enabl$4 or gated))	USPAT; US-PGPUB; IBM_TDB	2004/07/14 10:31
-	957	(((selecti$4 or adapt$6 or control$4)near4 (enabl$4 or appl$5 or disabl$4 or remov$5))adj3 clock) same ((interrupt or signal or (detect$4 adj signal))near4 (enabl$4 or gated))	USPAT; US-PGPUB; IBM_TDB	2004/07/14 10:30
-	10	(((selecti$4 or adapt$6 or control$4)near4 (enabl$4 or appl$5 or disabl$4 or remov$5))adj3 clock) with ((interrupt or (detect$4 adj signal))near4 (enabl$4 or gated))	USPAT; US-PGPUB; IBM_TDB	2004/07/14 10:34
-	12	((((selecti$4 or adapt$6 or control$4)near4 (enabl$4 or appl$5 or disabl$4 or remov$5))adj3 clock) with ((interrupt or signal or (detect$4 adj signal))near4 (enabl$4 or gated))) same ((program$5 or read$4 or writ$4)with ((gated or enabled)adj2 clock))	USPAT; US-PGPUB; IBM_TDB	2004/07/14 10:36
-	93	((media adj3 access) or MAC)with (power near3 (dissipati$3 or consum$6 or sav$4 or conserv$7 or utiliz$7 or expendi$6 or usage))	USPAT; US-PGPUB; IBM_TDB	2004/07/14 10:47
-	0	(((media adj3 access) or MAC)with (power near3 (dissipati$3 or consum$6 or sav$4 or conserv$7 or utiliz$7 or expendi$6 or usage))) and (((selecti$4 or adapt$6 or control$4)near4 (enabl$4 or appl$5 or disabl$4 or remov$5))adj3 clock)	USPAT; US-PGPUB; IBM_TDB	2004/07/14 10:45
-	14	(((media adj3 access) or MAC)with (power near3 (dissipati$3 or consum$6 or sav$4 or conserv$7 or utiliz$7 or expendi$6 or usage))) and (((selecti$4 or adapt$6 or control$4)near6 clock))	USPAT; US-PGPUB; IBM_TDB	2004/07/14 10:46
-	4	(((media adj3 access) or MAC)with (power near3 (dissipati$3 or consum$6 or sav$4 or conserv$7 or utiliz$7 or expendi$6 or usage))) and (((enabl$4 or appl$5 or disabl$4 or remov$5))adj3 clock)	USPAT; US-PGPUB; IBM_TDB	2004/07/14 10:46
-	2	(((media adj3 access) or MAC)adj2 component)with (power near3 (dissipati$3 or consum$6 or sav$4 or conserv$7 or utiliz$7 or expendi$6 or usage))	USPAT; US-PGPUB; IBM_TDB	2004/07/14 10:49
-	0	(((media adj3 access))adj2 component)with (power near3 (dissipati$3 or consum$6 or sav$4 or conserv$7 or utiliz$7 or expendi$6 or usage))	USPAT; US-PGPUB; IBM_TDB	2004/07/14 10:49
-	223	(((selecti$4 or adapt$6 or control$4)near4 (enabl$4 or appl$5 or disabl$4 or remov$5))adj3 clock) with (detect$4 or interrupt$4)	USPAT; US-PGPUB; IBM_TDB	2004/07/14 10:57
-	0	((((selecti$4 or adapt$6 or control$4)near4 (enabl$4 or appl$5 or disabl$4 or remov$5))adj3 clock) with (detect$4 or interrupt$4)) same (enabl$4 near4 (register adj6 counter))	USPAT; US-PGPUB; IBM_TDB	2004/07/14 10:52

-	0	((((selecti$4 or adapt$6 or control$4)near4 (enabl$4 or appl$5 or disabl$4 or remov$5))adj3 clock) with (detect$4 or interrupt$4)) same ((enabl$4 adj clock)near4 (register adj6 counter))	USPAT; US-PGPUB; IBM_TDB	2004/07/14 10:53
-	0	((((selecti$4 or adapt$6 or control$4)near4 (enabl$4 or appl$5 or disabl$4 or remov$5))adj3 clock) with (detect$4 or interrupt$4)) and ((enabl$4 adj clock)near4 (register adj6 counter))	USPAT; US-PGPUB; IBM_TDB	2004/07/14 10:53
-	4	((((selecti$4 or adapt$6 or control$4)near4 (enabl$4 or appl$5 or disabl$4 or remov$5))adj3 clock) with (detect$4 or interrupt$4)) and (enabl$4 near4 (register adj6 counter))	USPAT; US-PGPUB; IBM_TDB	2004/07/14 10:55
-	2	(((clock near3 enabl$4)near5 (register adj counter))) same (detect$4 or interrupt$4)	USPAT; US-PGPUB; IBM_TDB	2004/07/14 11:01
-	7	((clock near3 enabl$4)near5 (register adj counter))	USPAT; US-PGPUB; IBM_TDB	2004/07/14 11:01
-	1	((clock near3 enabl$4)near5 (register adj counter))	EPO; JPO; DERWENT	2004/07/14 11:10
-	9	((clock near3 enabl$4)near5 (register adj6 counter))	EPO; JPO; DERWENT	2004/07/14 11:04
-	1404	((selecti$4 or adapt$6 or control$4)near4 (enabl$4 or appl$5 or disabl$4 or remov$5))near3 clock	EPO; JPO; DERWENT	2004/07/14 11:09
-	8279	((selecti$4 or adapt$6 or control$4)near4 (enabl$4 or appl$5 or disabl$4 or remov$5))near3 clock	USPAT; US-PGPUB; IBM_TDB	2004/07/14 11:09
-	0	(((selecti$4 or adapt$6 or control$4)near4 (enabl$4 or appl$5 or disabl$4 or remov$5))near3 clock) and ((clock near3 enabl$4)near5 (register adj5 counter))	EPO; JPO; DERWENT	2004/07/14 11:10
-	1	(((selecti$4 or adapt$6 or control$4)near4 (enabl$4 or appl$5 or disabl$4 or remov$5))near3 clock) and ((clock near3 enabl$4)near5 (register near4 counter))	EPO; JPO; DERWENT	2004/07/14 11:11
-	8	(((selecti$4 or adapt$6 or control$4)near4 (enabl$4 or appl$5 or disabl$4 or remov$5))near3 clock) and ((clock near3 enabl$4)near5 (register near4 counter))	USPAT; US-PGPUB; IBM_TDB	2004/07/14 13:45
-	1	5754833.pn.	USPAT; US-PGPUB; IBM_TDB	2004/07/14 13:35
-	1	5754883.pn.	USPAT; US-PGPUB; IBM_TDB	2004/07/14 13:35
-	19943	713/$.ccls.	USPAT; US-PGPUB; IBM_TDB	2004/07/14 14:24
-	39	713/$.ccls. and ((power near3 (conserv$6 or dissipat$5 or consum$7 or us$4 or utiliz$6 or expenditure))same (mac or (media adj3 component)))	USPAT; US-PGPUB; IBM_TDB	2004/07/14 14:52
-	9	(713/$.ccls. and ((power near3 (conserv$6 or dissipat$5 or consum$7 or us$4 or utiliz$6 or expenditure))same (mac or (media adj3 component))or (ethernet adj4 transceiver))) and ((disabl$4 or gat$4 or suspend$4 or remov$4)near3 clock)	USPAT; US-PGPUB; IBM_TDB	2004/07/14 14:25
-	1	(713/$.ccls. and ((power near3 (conserv$6 or dissipat$5 or consum$7 or us$4 or utiliz$6 or expenditure))same (mac or (media adj3 component))or (ethernet adj4 transceiver))) and (select$5 near4((disabl$4 or gat$4 or suspend$4 or remov$4)near3 clock))	USPAT; US-PGPUB; IBM_TDB	2004/07/14 14:50
-	274	713/$.ccls.	EPO; JPO; DERWENT	2004/07/14 14:24

-	0	713/$.ccls. and ((power near3 (conserv$6 or dissipat$5 or consum$7 or us$4 or utiliz$6 or expenditure))same (mac or (media adj3 component)))	EPO; JPO; DERWENT	2004/07/14 14:24
-	3	713/$.ccls. and ((disabl$4 or gat$4 or suspend$4 or remov$4)near3 clock)	EPO; JPO; DERWENT	2004/07/14 14:25
-	48	713/$.ccls. and ((power near3 (control$4 or conserv$6 or dissipat$5 or consum$7 or us$4 or utiliz$6 or expenditure))same (mac or (media adj3 component)))	USPAT; US-PGPUB; IBM_TDB	2004/07/14 14:31
-	56	713/$.ccls. and ((power near3 (conserv$6 or dissipat$5 or consum$7 or us$4 or utiliz$6 or expenditure))same (mac or (media adj3 component))or (ethernet adj4 transceiver))	USPAT; US-PGPUB; IBM_TDB	2004/07/14 14:31
-	136	713/$.ccls. and (select$5 near4((disabl$4 or gat$4 or suspend$4 or remov$4)near3 clock))	USPAT; US-PGPUB; IBM_TDB	2004/07/14 14:50
-	110	(713/$.ccls. and (select$5 near4((disabl$4 or gat$4 or suspend$4 or remov$4)near3 clock))) and (select$5 near4((enabl$4 or gat$4 or suppl$4 or input$4)near3 clock))	USPAT; US-PGPUB; IBM_TDB	2004/07/14 14:51
-	93	((713/$.ccls. and (select$5 near4((disabl$4 or gat$4 or suspend$4 or remov$4)near3 clock))) and (select$5 near4((enabl$4 or gat$4 or suppl$4 or input$4)near3 clock))) and (detect$4 or interrupt$4)	USPAT; US-PGPUB; IBM_TDB	2004/07/14 14:51
-	67	(((713/$.ccls. and (select$5 near4((disabl$4 or gat$4 or suspend$4 or remov$4)near3 clock))) and (select$5 near4((enabl$4 or gat$4 or suppl$4 or input$4)near3 clock))) and (detect$4 or interrupt$4)) and ((power near3 (conserv$6 or dissipat$5 or consum$7 or us$4 or utiliz$6 or expenditure)))	USPAT; US-PGPUB; IBM_TDB	2004/07/14 14:59
-	17	(((713/$.ccls. and (select$5 near4((disabl$4 or gat$4 or suspend$4 or remov$4)near3 clock))) and (select$5 near4((enabl$4 or gat$4 or suppl$4 or input$4)near3 clock))) and (detect$4 or interrupt$4)) and ((media adj control$4)or (network$ adj interface) or ethernet)	USPAT; US-PGPUB; IBM_TDB	2004/07/14 14:53
-	17	((((713/$.ccls. and (select$5 near4((disabl$4 or gat$4 or suspend$4 or remov$4)near3 clock))) and (select$5 near4((enabl$4 or gat$4 or suppl$4 or input$4)near3 clock))) and (detect$4 or interrupt$4)) and ((power near3 (conserv$6 or dissipat$5 or consum$7 or us$4 or utiliz$6 or expenditure)))) and ((media adj control$4)or (network$ adj interface) or ethernet)	USPAT; US-PGPUB; IBM_TDB	2004/07/14 14:56
-	69293	((media adj2 control$4)or (network$ adj interface) or ethernet)	USPAT; US-PGPUB; IBM_TDB	2004/07/14 15:25
-	231	(((media adj2 control$4)or (network$ adj interface) or ethernet)) with (clock near4 (control$4 or enabl$4 or disabl$4 or gat$4 or suspend$4 or apply$4))	USPAT; US-PGPUB; IBM_TDB	2004/07/14 14:58
-	59	((((media adj2 control$4)or (network$ adj interface) or ethernet)) with (clock near4 (control$4 or enabl$4 or disabl$4 or gat$4 or suspend$4 or apply$4))) and ((power near3 (conserv$6 or dissipat$5 or consum$7 or us$4 or utiliz$6 or expenditure)))	USPAT; US-PGPUB; IBM_TDB	2004/07/14 14:59

-	63	(((((media adj2 control$4)or (network$ adj interface) or ethernet)) with (clock near4 (control$4 or enabl$4 or disabl$4 or gat$4 or suspend$4 or apply$4))) and ((power near3 (sav$4 or conserv$6 or dissipat$5 or consum$7 or us$4 or utiliz$6 or expenditure)))	USPAT; US-PGPUB; IBM_TDB	2004/07/14 15:02
-	2	(((((media adj2 control$4)or (network$ adj interface) or ethernet)) with (clock near4 (control$4 or enabl$4 or disabl$4 or gat$4 or suspend$4 or apply$4))) and ((power near3 (conserv$6 or dissipat$5 or consum$7 or us$4 or utiliz$6 or expenditure)))) and (csr or rmon)	USPAT; US-PGPUB; IBM_TDB	2004/07/14 15:00
-	63	(((((media adj2 control$4)or (network$ adj interface) or ethernet)) with (clock near4 (control$4 or enabl$4 or disabl$4 or gat$4 or suspend$4 or apply$4))) and ((power near3 (sav$4 or conserv$6 or dissipat$5 or consum$7 or us$4 or utiliz$6 or expenditure)))) and ((power near3 (sav$4 or conserv$6 or dissipat$5 or consum$7 or us$4 or utiliz$6 or expenditure)))	USPAT; US-PGPUB; IBM_TDB	2004/07/14 15:02
-	63	(((((media adj2 control$4)or (network$ adj interface) or ethernet)) with (clock near4 (control$4 or enabl$4 or disabl$4 or gat$4 or suspend$4 or apply$4))) and ((power near3 (sav$4 or conserv$6 or dissipat$5 or consum$7 or us$4 or utiliz$6 or expenditure)))) and ((power with (sav$4 or conserv$6 or dissipat$5 or consum$7 or us$4 or utiliz$6 or expenditure)))	USPAT; US-PGPUB; IBM_TDB	2004/07/14 15:21
-	234720	(activity or event or interrupt or need)near6 (detect$4 or determin$7 or recogniz$7)	USPAT; US-PGPUB; IBM_TDB	2004/07/14 15:23
-	662	((activity or event or interrupt or need)near6 (detect$4 or determin$7 or recogniz$7)) same ((enabl$4 or activat$4 or apply$4 or supply$4 or gat$4)near5 clock)	USPAT; US-PGPUB; IBM_TDB	2004/07/14 15:24
-	795	((activity or event or interrupt or need)near6 (detect$4 or determin$7 or recogniz$7)) same ((enabl$4 or activat$4 or apply$4 or supply$4 or gat$4 or disabl$4 or terminat$4 or remov$4 or suspend$4)near5 clock)	USPAT; US-PGPUB; IBM_TDB	2004/07/14 15:25
-	100	(((activity or event or interrupt or need)near6 (detect$4 or determin$7 or recogniz$7)) same ((enabl$4 or activat$4 or apply$4 or supply$4 or gat$4 or disabl$4 or terminat$4 or remov$4 or suspend$4)near5 clock)) and ((media adj2 control$4)or (network$ adj interface) or ethernet)	USPAT; US-PGPUB; IBM_TDB	2004/07/14 15:26
-	56	((((activity or event or interrupt or need)near6 (detect$4 or determin$7 or recogniz$7)) same ((enabl$4 or activat$4 or apply$4 or supply$4 or gat$4 or disabl$4 or terminat$4 or remov$4 or suspend$4)near5 clock)) and ((media adj2 control$4)or (network$ adj interface) or ethernet)) and ((control$4 adj2 status)or (remot$4 adj2 monitor$4) or (register near3 counter))	USPAT; US-PGPUB; IBM_TDB	2004/07/14 15:28

-	19	((((activity or event or interrupt or need)near6 (detect$4 or determin$7 or recogniz$7)) same ((enabl$4 or activat$4 or apply$4 or supply$4 or gat$4 or disabl$4 or terminat$4 or remov$4 or suspend$4)near5 clock)) and ((media adj2 control$4)or (network$ adj interface) or ethernet)) and (((control$4 adj2 status)or (remot$4 adj2 monitor$4) or (register near3 counter))same clock)	USPAT; US-PGPUB; IBM_TDB	2004/07/14 15:29
-	0	(program$4 near4 (control adj3 register))with ((ethernet or MAC)adj4 controller)	USPAT; US-PGPUB; IBM_TDB	2004/07/15 13:50
-	6	(program$4 near4 register) with ((ethernet or MAC)adj4 controller)	USPAT; US-PGPUB; IBM_TDB	2004/07/15 14:32
-	0	(program$4 near6 (control$4 adj2 register)) with ((ethernet or MAC)adj4 controller)	USPAT; US-PGPUB; IBM_TDB	2004/07/15 13:57
-	0	(program$4 near6 (control$4 adj2 register)) same ((ethernet or MAC)adj4 controller)	USPAT; US-PGPUB; IBM_TDB	2004/07/15 13:58
-	0	(program$4 near6 (control$4 adj2 register)) same ((ethernet or MAC)adj4 controller)	EPO; JPO; DERWENT	2004/07/15 13:58
-	0	((writ$4 or updat44 or upgrad$4 or program$4) near6 (control$4 adj2 register)) same ((ethernet or MAC)adj4 controller)	EPO; JPO; DERWENT	2004/07/15 13:58
-	0	((writ$4 or updat$4 or upgrad$4 or program$4) near6 (control$4 adj2 register)) same ((ethernet or MAC)adj4 controller)	EPO; JPO; DERWENT	2004/07/15 13:59
-	2	((writ$4 or updat$4 or upgrad$4 or program$4) near6 (control$4 adj2 register)) same ((ethernet or MAC)adj4 controller)	USPAT; US-PGPUB; IBM_TDB	2004/07/15 14:02
-	6	((writ$4 or updat$4 or upgrad$4 or program$4) near6 (control$4 adj2 register)) with ((ethernet or PCI or network or MAC)adj4 controller)	USPAT; US-PGPUB; IBM_TDB	2004/07/15 14:05
-	23	((writ$4 or updat$4 or upgrad$4 or program$4) near6 (control$4 adj2 register)) same ((ethernet or PCI or network or MAC)adj4 controller)	USPAT; US-PGPUB; IBM_TDB	2004/07/15 14:18
-	0	(embed$6 adj2 ((ethernet or PCI or network or MAC)adj4 controller)) with ((writ$4 or updat$4 or upgrad$4 or program$4) near6 (control$4 adj2 register))	USPAT; US-PGPUB; IBM_TDB	2004/07/15 14:06
-	0	(embed$6 adj2 ((ethernet or PCI or network or MAC)adj4 controller)) same ((writ$4 or updat$4 or upgrad$4 or program$4) near6 (control$4 adj2 register))	USPAT; US-PGPUB; IBM_TDB	2004/07/15 14:06
-	0	(embed$6 adj2 ((ethernet or PCI or network or MAC)adj4 controller)) and ((writ$4 or updat$4 or upgrad$4 or program$4) near6 (control$4 adj2 register))	USPAT; US-PGPUB; IBM_TDB	2004/07/15 14:06
-	16	embed$6 adj2 ((ethernet or PCI or network or MAC)adj4 controller)	USPAT; US-PGPUB; IBM_TDB	2004/07/15 14:11
-	2	(embed$6 adj2 ((ethernet or PCI or network or MAC)adj4 controller))near6 (configur$7 or program$6)	USPAT; US-PGPUB; IBM_TDB	2004/07/15 14:12
-	0	(embed$6 adj2 ((ethernet or PCI or network or MAC)adj4 controller))near6 (configur$7 or program$6)	EPO; JPO; DERWENT	2004/07/15 14:12
-	0	((ethernet or PCI or network or MAC)adj4 controller)with (remot$4 adj2 monitor44)	USPAT; US-PGPUB; IBM_TDB	2004/07/15 14:19

-	31	((ethernet or PCI or network or MAC)adj4 controller)with (remot$4 adj2 monitor$4)	USPAT; US-PGPUB; IBM_TDB	2004/07/15 16:35
-	0	((read$4 or access$4)near3 (remot$4 adj5 ((motitor$4 adj counter) or (status adj register)))) with ((ethernet or MAC)adj4 controller)	USPAT; US-PGPUB; IBM_TDB	2004/07/15 14:34
-	0	((read$4 or access$4)near3 (remot$4 adj5 ((motitor$4 adj counter) or (status adj register)))) same ((ethernet or MAC)adj4 controller)	USPAT; US-PGPUB; IBM_TDB	2004/07/15 14:35
-	1	((read$4 or access$4)near3 (rmon or (remot$4 adj5 ((motitor$4 adj counter) or (status adj register))))) same ((ethernet or MAC)adj4 controller)	USPAT; US-PGPUB; IBM_TDB	2004/07/15 14:35
-	15	(((ethernet or PCI or network or MAC)adj4 controller)near3 (embed$4)) with (program$6 or configur$6)	USPAT; US-PGPUB; IBM_TDB	2004/07/15 16:37
-	15	(((ethernet or PCI or network or MAC)adj4 controller)near3 (embed$4)) with (program$6 or configur$6 or upgrad$4)	USPAT; US-PGPUB; IBM_TDB	2004/07/15 16:40
-	11	((ethernet or MAC)adj4 controller)near3 (embed$4)	USPAT; US-PGPUB; IBM_TDB	2004/07/15 16:40
-	2	(((ethernet or MAC)adj4 controller)near3 (embed$4)) with (program$6 or configur$6 or upgrad$4)	USPAT; US-PGPUB; IBM_TDB	2004/07/15 16:40
-	6	(((ethernet or MAC)adj4 controller)near3 (embed$4)) same (program$6 or configur$6 or upgrad$4)	USPAT; US-PGPUB; IBM_TDB	2004/07/15 16:40
-	13	((ethernet or PCI or network or MAC)adj4 controller)near3 (embed$4)	EPO; JPO; DERWENT	2004/07/15 16:53
-	98	((ethernet or PCI or network or MAC)adj4 controller)near3 (embed$4)	USPAT; US-PGPUB; IBM_TDB	2004/07/15 16:58
-	677	((program$6 or configur$7 or updat$4 or upgrad$4)adj4 (stor$4 or control or register or component or device or rom or eprom or eeprom))with ((media adj access)or MAC or (ethernet adj5 controller))	USPAT; US-PGPUB; IBM_TDB	2004/07/16 11:12
-	451	((program$6 or configur$7 or updat$4 or upgrad$4)adj4 (stor$4 or control or register or component or device or rom or eprom or eeprom))near6 ((media adj access)or MAC or (ethernet adj5 controller))	USPAT; US-PGPUB; IBM_TDB	2004/07/16 11:12
-	0	(((program$6 or configur$7 or updat$4 or upgrad$4)adj4 (stor$4 or control or register or component or device or rom or eprom or eeprom))near6 ((media adj access)or MAC or (ethernet adj5 controller))) same ((determin$4 or detect$4) adj5 (need or requirement or necessa$6))	USPAT; US-PGPUB; IBM_TDB	2004/07/16 11:16
-	0	(((program$6 or configur$7 or updat$4 or upgrad$4)adj4 (stor$4 or control or register or component or device or rom or eprom or eeprom))with ((media adj access)or MAC or (ethernet adj5 controller))) same (select$6 near5 ((appl$6 or enabl$4 or disabl$4 or activat$6 or gat$4) adj3 clock))	USPAT; US-PGPUB; IBM_TDB	2004/07/16 11:18
-	3	(((program$6 or configur$7 or updat$4 or upgrad$4)adj4 (stor$4 or control or register or component or device or rom or eprom or eeprom))with ((media adj access)or MAC or (ethernet adj5 controller))) same (((appl$6 or employ$5 or enabl$4 or disabl$4 or activat$6 or gat$4) adj3 clock))	USPAT; US-PGPUB; IBM_TDB	2004/07/16 11:18

-	1	((((program$6 or configur$7 or updat$4 or upgrad$4)adj4 (stor$4 or control or register or component or device or rom or eprom or eeprom))with ((media adj access)or MAC or (ethernet adj5 controller))) and ((determin$4 or detect$4) adj5 (need or requirement or necessa$6))) and (select$6 near5 ((appl$6 or enabl$4 or disabl$4 or activat$6 or gat$4) adj3 clock))	USPAT; US-PGPUB; IBM_TDB	2004/07/16 11:20
-	51	(((program$6 or configur$7 or updat$4 or upgrad$4)adj4 (stor$4 or control or register or component or device or rom or eprom or eeprom))with ((media adj access)or MAC or (ethernet adj5 controller))) and ((determin$4 or detect$4) adj5 (need or requirement or necessa$6))	USPAT; US-PGPUB; IBM_TDB	2004/07/16 13:24
-	0	((((program$6 or configur$7 or updat$4 or upgrad$4)adj4 (stor$4 or control or register or component or device or rom or eprom or eeprom))with ((media adj access)or MAC or (ethernet adj5 controller))) and ((determin$4 or detect$4) adj5 (need or requirement or necessa$6))) and (((disabl$4 or remov$4 or gat$4 or pull$6)adj3 clock)with programmed)	USPAT; US-PGPUB; IBM_TDB	2004/07/16 13:27
-	1	((((program$6 or configur$7 or updat$4 or upgrad$4)adj4 (stor$4 or control or register or component or device or rom or eprom or eeprom))with ((media adj access)or MAC or (ethernet adj5 controller))) and ((determin$4 or detect$4) adj5 (need or requirement or necessa$6))) and (((disabl$4 or remov$4 or gat$4 or pull$6)adj3 clock)same programmed)	USPAT; US-PGPUB; IBM_TDB	2004/07/16 13:06
-	1	((((program$6 or configur$7 or updat$4 or upgrad$4)adj4 (stor$4 or control or register or component or device or rom or eprom or eeprom))with ((media adj access)or MAC or (ethernet adj5 controller))) and ((determin$4 or detect$4) adj5 (need or requirement or necessa$6))) and (((disabl$4 or remov$4 or gat$4 or pull$6)adj3 clock)same program$6)	USPAT; US-PGPUB; IBM_TDB	2004/07/16 13:24
-	162785	(((program$6 or configur$7 or updat$4 or upgrad$4)adj4 (stor$4 or control or register or component or device or rom or eprom or eeprom))with ((media adj access)or component or device or MAC or (ethernet adj5 controller)))	USPAT; US-PGPUB; IBM_TDB	2004/07/16 13:24
-	0	(((program$6 or configur$7 or updat$4 or upgrad$4)adj4 (stor$4 or control or register or component or device or rom or eprom or eeprom))with ((media adj access)or MAC or (ethernet adj5 controller))) and ((determin$4 or detect$4) adj5 (need or requirement or necessa$6))	EPO; JPO; DERWENT	2004/07/16 13:24
-	145	((((program$6 or configur$7 or updat$4 or upgrad$4)adj4 (stor$4 or control or register or component or device or rom or eprom or eeprom))with ((media adj access)or component or device or MAC or (ethernet adj5 controller)))) with ((enabl$4 or provid$4 or employ$4 or gat$4 or apply$4 or assert$4) near3 clock)	USPAT; US-PGPUB; IBM_TDB	2004/07/16 13:26

-	3	(((((program$6 or configur$7 or updat$4 or upgrad$4)adj4 (stor$4 or control or register or component or device or rom or eprom or eeprom))with ((media adj access)or component or device or MAC or (ethernet adj5 controller)))) with ((enabl$4 or provid$4 or employ$4 or gat$4 or apply$4 or assert$4) near3 clock)) and (((disabl$4 or remov$4 or gat$4 or pull$6 or deassert$4)near3 clock)with programmed)	USPAT; US-PGPUB; IBM_TDB	2004/07/16 13:31
-	16	((enabl$4 or disabl$4 or provi$6 or reov$4 or employ$5 or gat$4 or appl$4 or assert$4 or deassert$4)near3 clock)with (rmon or csr)	USPAT; US-PGPUB; IBM_TDB	2004/07/16 14:28
-	1	6370603.pn.	USPAT; US-PGPUB; IBM_TDB	2004/07/16 14:11
-	1	5628020.pn.	USPAT; US-PGPUB; IBM_TDB	2004/07/16 14:13
-	1	5661725.pn.	USPAT; US-PGPUB; IBM_TDB	2004/07/16 14:12
-	1	5815725.pn.	USPAT; US-PGPUB; IBM_TDB	2004/07/16 14:13
-	1	5834961.pn.	USPAT; US-PGPUB; IBM_TDB	2004/07/16 14:13
-	1	6467042.pn.	USPAT; US-PGPUB; IBM_TDB	2004/07/16 14:14
-	1	((enabl$4 or disabl$4 or provi$6 or reov$4 or employ$5 or gat$4 or appl$4 or assert$4 or deassert$4)near3 clock)with (rmon or csr)	EPO; JPO; DERWENT	2004/07/16 14:28